

U. S. Department of Agriculture  
Forest Service Resource Bulletin SO-15

1969

# Forest Statistics for Mississippi Counties

*Arnold Hedlund  
and  
J. M. Earles*



SOUTHERN FOREST EXPERIMENT STATION  
New Orleans, Louisiana  
Forest Service, U. S. Department of Agriculture

## *Mississippi Forest Survey Regions*

**NORTH:** Alcorn, Benton, Calhoun, Carroll, Chickasaw, Choctaw, Clay, De Soto, Grenada, Itawamba, Lafayette, Lee, Lowndes, Marshall, Monroe, Montgomery, Oktibbeha, Panola, Pontotoc, Prentiss, Tate, Tippah, Tishomingo, Union, Webster, Yalobusha

**CENTRAL:** Attala, Clarke, Jasper, Kemper, Lauderdale, Leake, Neshoba, Newton, Noxubee, Rankin, Scott, Simpson, Smith, Winston

**SOUTHWEST:** Adams, Amite, Claiborne, Copiah, Franklin, Hinds, Jefferson, Lincoln, Madison, Pike, Wilkinson

**SOUTH:** Covington, Forrest, George, Greene, Hancock, Harrison, Jackson, Jefferson Davis, Jones, Lamar, Lawrence, Marion, Pearl River, Perry, Stone, Walthall, Wayne

**DELTA:** Bolivar, Coahoma, Holmes, Humphreys, Issaquena, Leflore, Quitman, Sharkey, Sunflower, Tallahatchie, Tunica, Warren, Washington, Yazoo

# FOREST STATISTICS FOR MISSISSIPPI COUNTIES

Arnold Hedlund and J. M. Earles

This report tabulates information from a new forest survey of Mississippi, completed in 1967 by the Southern Forest Experiment Station. The tables are intended for use as source data in compiling estimates for groups of counties. Because the sampling procedure used in Mississippi was intended primarily to furnish inventory data for the State as a whole, estimates for individual counties have limited and variable accuracy.

The data on forest acreage and timber volume were secured by a systematic sampling method involving a forest-nonforest classification on aerial photographs and on-the-ground measurements of trees at sample locations. The sample locations were at the intersections of a grid of lines spaced 3 miles apart. At each forested location, 10 small plots were uniformly distributed on an area of about 1 acre.

Estimates of growth are based on remeasurement of permanent plots at sample locations. Timber removals were determined from special studies conducted during the period of forest inventory.

Computations of the data were programmed on electronic computer facilities of the National Aeronautics and Space Administration.

As data for the entire State are broken down by various subdivisions, the possibility of error increases and is greatest for the smallest items. The order of this increase is suggested in the following tabulation, which shows the sampling error to which the estimates of forest area, growing-stock volume, and sawtimber volume are liable (on a probability of two chances out of three) :

Commercial forest area	Sampling error <sup>1</sup>	Cubic volume <sup>2</sup>	Sampling error <sup>1</sup>	Board-foot volume <sup>3</sup>	Sampling error <sup>1</sup>
Thousand acres	Percent	Million cubic feet	Percent	Million board feet	Percent
16,891.9	0.3	.	...	.	.
1,520.3	1.0	13,034.6	1.6	...	.
380.1	2.0	8,342.1	2.0	42,235.5	2.3
168.9	3.0	3,707.6	3.0	24,825.1	3.0
95.0	4.0	2,085.5	4.0	13,964.1	4.0
60.8	5.0	1,334.7	5.0	8,937.0	5.0
15.2	10.0	333.7	10.0	2,234.0	10.0
6.8	15.0	148.3	15.0	993.0	15.0
3.8	20.0	83.4	20.0	558.6	20.0
2.4	25.0	53.4	25.0	357.5	25.0

<sup>1</sup> By random-sampling formula.

<sup>2</sup> Growing-stock volume on commercial forest land.

<sup>3</sup> Sawtimber volume on commercial forest land.

The sampling error to which the estimates of growth and removals are liable, two chances out of three, are:

Net annual growth				Annual removals			
Cubic volume	Sampling error <sup>1</sup>	Board-foot volume	Sampling error <sup>1</sup>	Cubic volume	Sampling error <sup>1</sup>	Board-foot volume	Sampling error <sup>1</sup>
cubic feet		Million board feet	Percent	Million cubic feet	Percent	Million board feet	Percent
873.5	1.6	.	.	538.5	1.9	.	.
559.0	2.0	2,834.5	2.4	486.0	2.0	.	.
248.5	3.0	1,814.1	3.0	216.0	3.0	1,962.1	3.2
139.8	4.0	1,020.4	4.0	121.5	4.0	1,225.7	4.0
89.4	5.0	653.1	5.0	77.8	5.0	803.7	5.0
22.4	10.0	163.3	10.0	19.4	10.0	200.9	10.0
9.9	15.0	72.6	15.0	8.6	15.0	89.3	15.0
5.6	20.0	40.8	20.0	4.9	20.0	50.2	20.0
3.6	25.0	26.1	25.0	3.1	25.0	32.1	25.0

<sup>1</sup> By random-sampling formula.

Sampling errors for individual counties are available on request.

Because of differences in standards of tree measurement, meaningful comparisons cannot be made between the volume estimates in this report and those contained in earlier publications on Mississippi. An interpretive report on Mississippi forests is now in preparation and will include an evaluation of timber trends since the previous Statewide survey of 1957.

## DEFINITIONS OF TERMS

**Acceptable trees.**-Growing-stock trees that are of commercial species and meet specified standards of size and quality, but do not qualify as desirable trees.

**Commercial forest land.**-Forest land producing or capable of producing crops of industrial wood and not withdrawn from commercial timber production.

**Desirable trees.**-Growing-stock trees that are of commercial species, have no defects in quality for timber products, are of relatively high vigor, and contain no pathogens that may result in death or serious deterioration before rotation age.

**Forest type.**-A classification of forest land based upon the species forming a plurality of live-tree stocking.

**Growing-stock trees.**-Live trees that are of commercial species and qualify as desirable or acceptable trees.


**Growing-stock volume.**-Net volume in cubic feet of growing-stock trees 5.0 inches d.b.h. and over from a 1-foot stump to a minimum 4.0-inch top diameter outside bark of the central stem, or to the point where the central stem breaks into limbs.

**Net annual growth.**-The increase in volume of a specified size class for a specific year.

**Sawtimber trees.**-Live trees that are of commercial species, contain at least a 12-foot saw log, and meet Regional specifications for freedom from defect. Softwoods must be at least 9.0 inches in diameter at breast height and hardwoods at least 11.0 inches.

**Sawtimber volume.**-Net volume of the saw-log portion of live sawtimber in board feet International  $\frac{1}{4}$ -inch rule.

**Timber removals.**-The net volume of growing-stock trees removed from the inventory by harvesting; cultural operations, such as timber-stand improvement; land clearing; or changes in land use.



Mississippi counties.

Table 1.-Commercial forest land by ownership and county, Mississippi, 1967

County	All ownerships	National forest	Other public	Forest industry	Farmer	Misc. private
----- Thousand acres -----						
Adams	209.0	15.0	8.0	5.5	82.6	97.9
<b>Alcorn</b>	126.0	.	.	3.6	67.9	54.5
<b>Amite</b>	319.0	34.5	8.6	33.1	99.1	143.7
Attala	313.2	.	4.5	26.2	110.2	172.3
<b>Benton</b>	167.0	50.5	...	...	95.0	21.5
Bolivar	75.6	.	<b>2.5</b>	<b>12.2</b>	20.6	40.3
Calhoun	210.8	.	9.2	94.3	94.7	12.6
Carroll	217.8		5.6	10.7	131.7	69.8
Chickasaw	132.2	25.1	...	6.2	47.9	53.0
Choctaw	188.7	11.0	<b>3.1</b>	15.2	76.0	83.4
Claiborne	221.0	.	7.4	32.5	104.1	77.0
Clarke	347.2	.	11.6	92.5	59.8	183.3
Clay	112.0	.	1.3	22.2	38.9	49.6
Coahoma	68.6	...	3.9	23.3	41.4	.
Copiah	345.0	<b>7.1</b>	16.5	30.0	140.2	151.2
Covington	151.2	.	4.7	10.7	90.7	45.1
<b>De Soto</b>	75.8		3.4	.	62.9	9.5
Forrest	216.2	49.7	10.1	18.6	27.9	109.9
Franklin	300.0	93.7	8.8	48.1	84.1	65.3
George	235.2	8.8	12.2	66.4	60.9	86.9
Greene	408.0	33.2	13.5	146.2	105.8	109.3
Grenada	161.4	.	21.6	17.0	56.6	66.2
Hancock	236.8	.	20.7	50.6	63.2	102.3
Harrison	285.6	60.5	7.5	75.6	70.6	71.4
Hinds	208.8	.	7.2	5.8	133.6	62.2
Holmes	214.7	.	6.2	15.9	151.6	41.0
Humphreys	68.0	.	2.2	6.6	33.4	25.8
Issaquena	128.0	.	5.2	68.3	12.6	41.9
Itawamba	225.6	.	.1	42.9	114.4	68.2
Jackson	378.0	19.0	13.6	100.8	53.4	191.2
Jasper	308.0	16.9	7.4	65.3	59.8	158.6
Jefferson	239.4	7.8	5.3	28.5	125.5	72.3
Jefferson	135.0	.	3.9	39.5	54.3	37.3
Davis	297.6	32.7	5.4	12.3	73.5	173.7
Jones	347.7	.	10.0	83.1	177.3	77.3
Kemper	259.2	35.5	18.6	10.5	139.1	55.5
Lafayette	235.2		5.0	55.3	71.9	103.0
Lamar	345.6	.	17.1	42.0	178.4	108.1
Lauderdale	187.0	.	3.4	65.2	81.5	36.9
Lawrence	230.0	.	7.7	29.1	97.2	96.0
Leake	75.4	.	.4	.	40.3	34.7
Lee	66.0	.	3.7	.	62.3	...
Leflore	249.6	7.7	6.8	12.8	121.7	<b>100.6</b>
Lincoln	130.0	.	4.7	5.0	89.4	30.9

Table 1-Commercial **forest land by ownership class and county, Mississippi, 1967**  
 ( Continued )

County	All ownerships	National forest	Other public	Forest industry	Farmer	Misc. private
Madison	189.0		7.4	16.2	102.7	62.7
Marion	214.5	( <sup>1</sup> )	13.7	38.0	65.2	97.6
Marshall	212.2	19.6	16.2	.	104.0	72.4
Monroe	254.2	.	4.6	30.8	12.3	206.5
Montgomery	159.7	.	4.3	11.5	78.7	65.2
Neshoba	202.4	.	12.0	25.7	59.8	104.9
Newton	245.0	3.1	7.6	24.3	77.7	132.3
Noxubee	225.5	.	13.5	32.1	106.9	73.0
Oktibbeha	148.8	.1	23.1	14.3	23.8	87.5
Panola	147.1	.	15.4	20.6	79.5	31.6
Pearl River	359.6	5.2	11.7	67.4	42.9	232.4
Perry	347.2	158.9	10.1	44.3	49.8	84.1
Pike	144.9	.	6.4	6.9	82.9	48.7
Pontotoc	143.5	.5	.4	4.4	112.4	25.8
Prentiss	133.4	.	...	9.1	59.4	64.9
Quitman	42.7	.	5.9	.	36.8	...
Rankin	353.8	.	13.8	22.5	146.5	171.0
Scott	261.0	85.9	8.0	11.3	95.8	60.0
Sharkey	95.4	57.8	4.0	.	20.8	12.8
Simpson	248.0	.	6.3	60.2	78.3	103.2
Smith	278.4	67.8	7.4	28.2	56.4	118.6
Stone	243.0	39.4	20.6	57.8	17.8	107.4
Sunflower	36.9	.	1.5	...	35.4	.
Tallahatchie	127.5	.	5.1	...	106.6	15.8
Tate	86.4	.	3.4	7.0	59.6	16.4
Tippah	161.1	7.6	.2	...	97.3	56.0
Tishomingo	188.1	.	7.6	34.0	22.6	123.9
Tunica	72.0	.	1.8	17.5	31.0	21.7
Union	128.7	7.8	( <sup>1</sup> )	...	52.2	68.7
Walthall	122.4	.	3.4	...	53.8	65.2
Warren	193.2	.	10.1	35.6	81.4	66.1
Washington	70.8	...	13.4	11.5	29.1	16.8
Wayne	436.6	89.2	12.8	119.5	77.7	137.4
Webster	165.2	...	2.3	22.7	92.2	48.0
Wilkinson	329.0	20.6	9.5	140.2	49.1	109.6
Winston	253.7	27.7	22.9	40.1	97.4	65.6
Yalobusha	184.5	18.9	18.2	8.9	98.3	40.2
Yazoo	234.4	.	8.2	12.9	6.5	206.8
All counties	16,891.9	1,118.8	651.4	2,505.1	6,204.6	6,412.0

<sup>1</sup> Negligible.

Table 2.—*Commercial forest land by forest type and county, Mississippi, 1967*

County	All types	Longleaf-slash pine	Loblolly-shortleaf pine	Oak-pine	Oak-hickory	Oak-gum-cypress	Elm-ash-cottonwood
<b>Thousand acres</b>							
Adams	209.0		16.5	33.0	93.5	27.5	38.5
<b>Alcorn</b>	126.0	.	28.8	18.0	57.6	21.6	
<b>Amite</b>	319.0	5.5	165.0	88.0	27.5	33.0	
Attala	313.2	.	91.8	37.8	108.0	75.6	
<b>Benton</b>	167.0	.	38.5	48.3	66.3	4.1	9.8
Bolivar	75.6	.				21.0	54.6
Calhoun	210.8		81.6	61.2	61.2	6.8	
Carroll	217.8		42.9	42.6	96.6	30.6	5.1
Chickasaw	132.2	.	25.3	53.7	50.1	3.1	
Choctaw	188.7	.	81.6	66.3	30.6	10.2	
Claiborne	221.0	.	32.5	13.0	84.5	91.0	
Clarke	347.2	5.6	162.4	44.8	78.4	50.4	5.6
Clay	112.0	.	28.0	.	33.6	50.4	...
Coahoma	68.6	.	.	...	...	39.2	<b>29.4</b>
Copiah	345.0	.	110.0	90.0	<b>75.0</b>	70.0	
Covington	151.2	5.4	37.8	32.4	37.8	37.8	
<b>De Soto</b>	75.8	.	.	7.5	32.5	33.3	2.5
Forrest	216.2	98.7	47.0	32.9	14.1	23.5	
Franklin	300.0	.	162.0	54.0	48.0	36.0	
George	235.2	67.2	44.8	44.8	16.8	61.6	
Greene	408.0	56.1	102.0	96.9	76.5	76.5	
Grenada	161.4		39.9	22.8	62.7	36.0	
Hancock	236.8	128.0	19.2	25.6	.	64.0	
Harrison	285.6	183.6	20.4	45.9	10.2	25.5	
Hinds	208.8	.	52.2	34.8	75.4	46.4	
Holmes	214.7	.	16.4	58.7	83.5	45.9	10.2
Humphreys	68.0	.	.	.	...	68.0	
Issaquena	128.0	.	.	.	6.4	108.8	12.8
Itawamba	225.6	.	48.0	57.6	76.8	38.4	4.8
Jackson	378.0	192.0	18.0	54.0	.	114.0	
Jasper	308.0	.	140.0	39.2	89.6	39.2	
Jefferson	239.4	.	34.2	39.9	108.3	34.2	<b>22.8</b>
Jefferson Davis	135.0	.	55.0	20.0	45.0	15.0	
Jones	297.6	55.8	105.4	68.2	43.4	24.8	
Kemper	347.7	.	119.7	102.6	57.0	68.4	
Lafayette	259.2	...	75.2	27.1	135.3	21.6	
Lamar	235.2	<b>112.0</b>	39.2	39.2	28.0	16.8	
Lauderdale	345.6	5.4	172.8	48.6	70.2	48.6	
Lawrence	187.0	5.5	77.0	38.5	16.5	49.5	
Leake	230.0	.	90.0	60.0	55.0	25.0	
Lee	75.4	.	11.6	23.2	29.0	11.6	
Leflore	66.0			...	11.0	55.0	

Table 2.-Commercial land by **forest** type and county, Mississippi, 1967  
 (Continued)

County	All types	Longleaf-slash pine	Loblolly-shortleaf pine	Oak-pine	Oak-hickory	Oak-gum-cypress	Elm-ash-cottonwood
<b>Thousand acres</b>							
Lincoln	<b>249.6</b>	6.4	115.2	32.0	76.8	19.2	.
Lowndes	130.0	.	10.0	35.0	25.0	60.0	.
Madison	189.0	5.4	59.4	32.4	37.8	54.0	.
Marion	214.5	11.0	27.5	71.5	55.0	49.5	.
Marshall	212.2	.	34.9	20.2	103.8	53.3	.
Monroe	254.2	.	31.0	18.6	117.8	86.8	.
Montgomery	159.7	.	38.4	53.6	57.2	10.5	.
Neshoba	202.4	...	70.4	44.0	52.8	35.2	.
Newton	245.0	<b>5.0</b>	100.0	50.0	65.0	25.0	.
Noxubee	225.5	.	49.5	55.0	55.0	66.0	.
Oktibbeha	148.8	4.8	38.4	24.0	57.6	24.0	.
Panola	147.1	.	17.8	5.3	93.7	17.8	12.5
Pearl River	359.6	130.2	43.4	80.6	24.8	80.6	.
Perry	347.2	84.0	78.4	89.6	56.0	39.2	.
Pike	144.9	.	48.3	62.1	13.8	20.7	...
Pontotoc	143.5	.	32.5	29.8	66.6	14.6	.
Prentiss	133.4	.	41.4	36.8	41.4	9.2	4.6
Quitman	42.7	.	...	...	...	36.6	6.1
Rankin	353.8	.	110.2	121.8	63.8	58.0	.
Scott	261.0	5.8	116.0	63.8	58.0	17.4	.
Sharkey	95.4	.	...	...	5.3	90.1	.
Simpson	248.0	.	80.6	74.4	49.6	43.4	.
Smith	278.4	5.8	116.0	87.0	63.8	5.8	...
Stone	243.0,	94.5	31.5	63.0	13.5	40.5	.
Sunflower	36.9	.	...	...	...	24.6	12.3
Tallahatchie	127.5	.	4.3	12.9	43.0	67.3	.
Tate	86.4	.	3.4	...	67.0	8.0	8.0
Tippah	161.1	.	49.7	32.5	70.3	8.6	.
Tishomingo	188.1	.	51.3	51.3	51.3	34.2	.
Tunica	72.0	.	...	...	...	31.5	40.5
Union	128.7	.	24.6	22.4	63.8	17.9	.
Walthall	122.4	20.4	27.2	20.4	20.4	34.0	.
Warren	193.2	.	...	...	105.8	55.2	32.2
Washington	70.8	...	...	...	...	53.1	17.7
Wayne	436.6	<b>35.4</b>	100.3	182.9	82.6	35.4	...
Webster	165.2	.	59.4	26.0	73.0	6.8	...
Wilkinson	329.0	.	98.0	56.0	91.0	77.0	7.0
Winston	253.7	5.9	64.9	94.4	70.8	17.7	.
Yalobusha	184.5	.	36.0	45.0	94.5	9.0	...
Yazoo	234.4	.	...	6.6	126.8	85.8	15.2
All counties	<b>16,891.9</b>	<b>1,335.4</b>	<b>4,242.6</b>	<b>3,372.0</b>	<b>4,306.3</b>	<b>3,283.4</b>	<b>352.2</b>

Table 3.—*Cordage of growing-stock on commercial forest land by species group and county, Mississippi, 1967*

County	All species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	Other
<i>Thousand cords</i>								
Adams	2,196	605	600	5	1,591	357	276	<b>958</b>
Alcorn	950	240	240		710	443	91	176
Amite	4,215	2,828	2,828		1,387	778	300	309
Attala	3,031	1,328	1,303	25	1,703	762	469	472
Benton	2,129	533	522	11	1,596	778	339	479
Bolivar	1,511	45		45	1,466	110	169	1,187
Calhoun	2,039	1,339	1,335	4	700	451	125	124
Carroll	1,604	283	275	8	1,321	625	330	366
Chickasaw	1,193	351	348	3	842	539	175	128
Choctaw	1,658	892	892		766	499	145	122
Claiborne	2,772	551	544	7	2,221	513	594	1,114
Clarke	4,408	2,539	2,534	5	1,869	958	457	454
Clay	1,250	125	125		1,125	624	131	370
Coahoma	837	68		68	769	93	48	628
Copiah	4,533	2,378	2,357	21	2,155	1,061	561	533
Covington	1,942	811	790	21	1,131	579	303	249
De Soto	944	35	1	34	909	251	216	442
Forrest	1,900	1,601	1,601		299	100	132	67
Franklin	5,217	4,019	4,016	3	1,198	582	300	316
George	2,109	1,321	1,192	129	788	221	258	309
Greene	3,271	2,087	2,087		1,184	493	370	321
Grenada	1,327	308	300	8	1,019	646	148	225
Hancock	1,894	1,360	1,331	29	534	64	248	222
Harrison	3,349	2,698	2,693	5	651	87	239	325
Hinds	1,696	521	502	19	1,175	544	230	401
Holmes	1,239	312	289	23	927	334	281	312
Humphreys	688				688	375	113	200
Issaquena	2,015	3	7	37	1,978	563	279	1,136
Itawamba	1,965	644	631	13	1,321	569	331	421
Jackson	4,350	2,305	2,193	112	2,045	267	1,404	374
Jasper	4,005	2,495	2,478	17	1,510	618	516	376
Jefferson	3,107	1,752	947	805	1,355	451	293	611
Jefferson Davis	1,402	857	857		545	224	187	134
Jones	3,787	2,720	2,717	3	1,067	500	301	266
Kemper	4,157	2,224	2,204	20	1,933	964	579	390
Lafayette	2,017	792	785	7	1,225	846	176	203
Lamar	1,841	1,289	1,289		552	90	261	201
Lauderdale	4,923	2,856	2,856		2,067	1,064	500	503
Lawrence	2,162	1,320	1,297	23	842	433	207	202
Leake	3,255	1,676	1,665	11	1,579	931	373	275
Lee	335	56	53	3	279	119	48	112
Leflore	7	4	8		748	377	134	237

Table 3.—*Cordage of growing-stock on commercial forest land by species group and county, Mississippi, 1967* (Continued)

County	All species	Softwood			Hardwood			<i>Thousand cords</i>
		Total	Pine	Other	Total	Oak	Gum	
<b><i>Lincoln</i></b>								
Lincoln	2,865	1,659	1,655	4	1,206	<b>495</b>	<b>296</b>	415
Lowndes	1,036	267	180	87	769	<b>359</b>	222	188
<b><i>Madison</i></b>								
Madison	1,676	564	532	32	1,112	574	287	251
Marion	2,043	1,028	1,028	..	1,015	434	290	291
Marshall	1,521	364	324	<b>40</b>	1,157	378	255	524
Monroe	2,361	663	663		1,698	788	513	397
Montgomery	1,579	679	676	3	900	512	164	224
<b><i>Neshoba</i></b>								
Neshoba	2,873	1,467	1,462	5	1,406	686	445	275
Newton	2,970	1,400	1,400		1,570	833	324	413
Noxubee	2,757	1,205	1,168	37	1,552	775	216	561
<b><i>Oktibbeha</i></b>								
Oktibbeha	1,463	500	499	1	963	639	127	197
<b><i>Panola</i></b>								
Panola	1,029	41	34	7	988	518	164	306
Pearl River	2,894	1,755	1,740	15	1,139	179	544	416
Perry	3,508	2,548	2,540	8	960	303	418	239
Pike	1,427	664	664		763	294	360	109
Pontotoc	1,176	476	475	1	700	445	88	167
Prentiss	1,064	363	360	3	701	352	155	194
<b><i>Quitman</i></b>								
Quitman	414	7		7	407	156	94	157
<b><i>Rankin</i></b>								
Rankin	4,587	2,348	2,343	5	2,239	1,309	440	490
<b><i>Scott</i></b>								
Scott	3,225	1,953	1,953		1,272	782	230	260
Sharkey	1,208	7		7	1,201	<b>679</b>	210	312
Simpson	2,434	1,277	1,273	4	1,157	560	240	357
Smith	4,397	2,852	2,848	4	1,545	588	421	536
Stone	2,548	1,924	1,912	12	624	166	288	170
Sunflower	460	132		132	328	87		241
<b><i>Tallahatchie</i></b>								
Tallahatchie	1,600	219	54	165	1,381	419	421	541
Tate	871	4		4	867	239	187	441
Tippah	1,262	355	354	1	907	517	130	260
Tishomingo	1,667	749	746	3	918	333	292	293
Tunica	715	11		11	704	115	24	565
<b><i>Union</i></b>								
Union	858	209	206	3	649	255	179	215
<b><i>Walthall</i></b>								
Walthall	1,525	607	598	9	918	79	606	233
Warren	2,871	52	36	16	2,819	682	454	1,683
<b><i>Washington</i></b>								
Washington	610				610	149	85	376
Wayne	4,661	2,937	2,936	1	1,724	946	354	424
Webster	1,758	849	844	5	909	620	146	143
Wilkinson	5,010	3,016	2,949	67	1,994	749	565	680
Winston	2,708	1,420	1,417	3	1,288	807	182	299
<b><i>Yalobusha</i></b>								
Yalobusha	1,360	591	586	5	769	460	145	164
Yazoo	3,150	35		35	3,115	1,130	551	1,434
All counties	184,112	87,398	85,132.	2,266.	96,714	<b>41,274</b>	23,749	31,691

**Table 4-Cubic feet of growing-stock on commercial forest land by species group and county, Mississippi, 1967**

County	All species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	Other
<i>----- Million cubic feet -----</i>								
Adams	152.0	45.4	45.0	0.4	106.6	23.9	18.5	64.2
Alcorn	65.6	18.0	18.0	.	47.6	29.7	6.1	11.8
Amite	305.0	212.1	212.1	.	92.9	52.1	20.1	20.7
Attala	213.7	99.6	97.7	1.9	114.1	51.1	31.4	31.6
Benton	146.9	40.0	39.2	.8	106.9	52.1	22.7	32.1
Bolivar	101.6	3.4	.	3.4	98.2	7.4	11.3	79.5
Calhoun	147.3	100.4	100.1	.3	46.9	30.2	8.4	8.3
Carroll	109.7	21.2	20.6	.6	88.5	41.9	22.1	24.5
Chickasaw	82.7	26.3	26.1	.2	56.4	36.1	11.7	8.6
Choctaw	118.2	66.9	66.9	.	51.3	33.4	9.7	8.2
Claiborne	190.1	41.3	40.8	.5	148.8	34.4	39.8	74.6
Clarke	315.6	190.4	190.0	.4	125.2	64.2	30.6	30.4
Clay	84.8	9.4	9.4	.	75.4	41.8	8.8	24.8
Coahoma	56.6	5.1	.	5.1	51.5	6.2	3.2	42.1
Copiah	322.8	178.4	176.8	1.6	144.4	71.1	37.6	35.7
Covington	136.6	60.8	59.2	1.6	75.8	38.8	20.3	16.7
De Soto	63.5	2.6	.1	2.5	60.9	16.8	14.5	29.6
Forrest	140.1	120.1	120.1	.	20.0	6.7	8.8	4.5
Franklin	381.7	301.4	301.2	.2	80.3	39.0	20.1	21.2
George	151.9	99.1	89.4	9.7	52.8	14.8	17.3	20.7
Greene	235.8	156.5	156.5	.	79.3	33.0	24.8	21.5
Grenada	91.4	23.1	22.5	.6	68.3	43.3	9.9	15.1
Hancock	137.8	102.0	99.8	2.2	35.8	4.3	16.6	14.9
Harrison	246.0	202.4	202.0	.4	43.6	5.8	16.0	21.8
Hinds	117.8	39.1	37.7	1.4	78.7	36.4	15.4	26.9
Holmes	85.5	23.4	21.7	1.7	62.1	22.4	18.8	20.9
Humphreys	46.1	...	.	.	46.1	25.1	7.6	13.4
Issaquena	135.3	2.8	.	2.8	132.5	37.7	18.7	76.1
Itawamba	136.8	48.3	47.3	1.0	88.5	38.1	22.2	28.2
Jackson	309.9	172.9	164.5	8.4	137.0	17.9	94.1	25.0
Jasper	288.3	187.1	185.8	1.3	101.2	41.4	34.6	25.2
Jefferson	222.2	131.4	71.0	60.4	90.8	30.2	19.6	41.0
Jefferson Davis	100.8	64.3	64.3	.	36.5	15.0	12.5	9.0
Jones	275.5	204.0	203.8	.2	71.5	33.5	20.2	17.8
Kemper	296.3	166.8	165.3	1.5	129.5	64.6	38.8	26.1
Lafayette	141.5	59.4	58.9	.5	82.1	56.7	11.8	13.6
Lamar	133.7	96.7	96.7	.	37.0	6.0	17.5	13.5
Lauderdale	352.7	214.2	214.2	.	138.5	71.3	33.5	33.7
Lawrence	155.4	99.0	97.3	1.7	56.4	29.0	13.9	13.5
Leake	231.5	125.7	124.9	.8	105.8	62.4	25.0	18.4
Lee	22.9	4.2	4.0	.2	18.7	8.0	3.2	7.5
Leflore	50.1	.	.	.	50.1	25.2	9.0	15.9

**Table 4-Cubic feet of growing-stock on commercial forest land by species group and county, Mississippi, 1967 (Continued)**

County	411 species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	Other
<i>----- Million cubic feet -----</i>								
Lincoln	205.2	124.4	124.1	.3	80.8	33.2	19.8	27.8
Lowndes	71.5	20.0	13.5	6.5	51.5	24.0	14.9	12.6
Madison	116.8	42.3	39.9	2.4	74.5	38.5	19.2	16.8
Marion	145.1	77.1	77.1	.1	68.0	29.1	19.4	19.5
Marshall	104.8	27.3	24.3	3.0	77.5	25.3	17.1	35.1
Monroe	163.5	49.7	49.7	.1	113.8	52.8	34.4	26.6
Montgomery	111.2	50.9	50.7	.2	60.3	34.3	11.0	15.0
Neshoba	204.2	110.0	109.6	.4	94.2	46.0	29.8	18.4
Newton	210.2	105.0	105.0	.1	105.2	55.8	21.7	27.7
Noxubee	194.4	90.4	87.6	2.8	104.0	51.9	14.5	37.6
Oktibbeha	102.0	37.5	37.4	.1	64.5	42.8	8.5	13.2
Panola	69.3	3.1	2.6	.5	66.2	34.7	11.0	20.5
Pearl River	207.9	131.6	130.5	1.1	76.3	12.0	36.4	27.9
Perry	255.4	191.1	190.5	.6	64.3	20.3	28.0	16.0
Pike	100.9	49.8	49.8	.1	51.1	19.7	24.1	7.3
Pontotoc	82.6	35.7	35.6	.1	46.9	29.8	5.9	11.2
Prentiss	74.2	27.2	27.0	.2	47.0	23.6	10.4	13.0
Quitman	27.8	.5	.1	.5	27.3	10.5	6.3	10.5
Rankin	326.1	176.1	175.7	.4	150.0	87.7	29.5	32.8
Scott	231.7	146.5	146.5	.1	85.2	52.4	15.4	17.4
Sharkey	81.0	.5	.1	.5	80.5	45.5	14.1	20.9
Simpson	173.3	95.8	95.5	.3	77.5	37.5	16.1	23.9
Smith	317.4	213.9	213.6	.3	103.5	39.4	28.2	35.9
Stone	186.1	144.3	143.4	.9	41.8	11.1	19.3	11.4
Sunflower	31.9	9.9	.1	9.9	22.0	5.8	.1	16.2
Tallahatchie	108.9	16.4	4.0	12.4	92.5	28.1	28.2	36.2
Tate	58.4	.3	.1	.3	58.1	16.0	12.5	29.6
Tippah	87.4	26.6	26.5	.1	60.8	34.7	8.7	17.4
Tishomingo	117.7	56.2	56.0	.2	61.5	22.3	19.6	19.6
Tunica	48.0	.8	.1	.8	47.2	7.7	1.6	37.9
Union	59.2	15.7	15.5	.2	43.5	17.1	12.0	14.4
Walthall	107.0	45.5	44.8	.7	61.5	5.3	40.6	15.6
Warren	192.8	3.9	2.7	1.2	188.9	45.7	30.4	112.8
Washington	40.9	..	.1	..	40.9	10.0	5.7	25.2
Wayne	335.8	220.3	220.2	.1	115.5	63.4	23.7	28.4
Webster	124.6	63.7	63.3	.4	60.9	41.5	9.8	9.6
Wilkinson	359.8	226.2	221.2	5.0	133.6	50.2	37.9	45.5
Winston	192.8	106.5	106.3	.2	86.3	54.1	12.2	20.0
Yalobusha	95.8	44.3	43.9	.4	51.5	30.8	9.7	11.0
Yazoo	211.3	2.6	.1	2.6	208.7	75.7	36.9	96.1
All counties	13,034.6	6,554.8	6,384.9	169.9	6,479.8	2,765.3	1,591.2	2,123.3

Table 5.—*Sawtimber* volume on commercial forest land by species group and county, Mississippi, 1967

County	All species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	Other
<i>Million board feet</i>								
Adams	564.4	231.2	229.6	1.6	333.2	81.9	35.1	216.2
Alcorn	139.5	41.5	41.5	.	98.0	67.4	9.1	21.5
Amite	1,052.4	813.8	813.8	...	238.6	136.8	37.4	64.4
Attala	531.8	306.7	303.4	3.3	225.1	120.9	52.3	51.9
Benton	401.8	135.1	131.5	3.6	266.7	134.3	43.3	89.1
Bolivar	349.6	23.3	.	23.3	326.3	18.0	39.0	269.3
Calhoun	387.7	306.0	306.0	.	81.7	56.0	10.6	15.1
Carroll	305.4	39.6	39.3	3	265.8	150.1	43.4	72.3
Chickasaw	211.1	87.3	87.3	.	123.8	94.1	10.6	19.1
Choctaw	307.4	228.0	228.0	.	79.4	52.5	12.7	14.2
Claiborne	586.0	152.6	151.1	1.5	433.4	107.5	113.4	212.5
Clarke	980.2	723.3	723.3	.	256.9	118.5	56.2	82.2
Clay	262.8	38.1	38.1	.	224.7	117.9	28.1	78.7
Coahoma	193.3	26.9	.	26.9	166.4	13.7	1.6	151.1
Copiah	1,135.5	737.5	727.7	9.8	398.0	207.6	95.3	95.1
Covington	468.6	264.6	257.3	7.3	204.0	105.3	54.9	43.8
De Soto	171.7	12.9	.	12.9	158.8	44.4	41.6	72.8
Forrest	486.1	430.6	430.6	.	55.5	15.8	23.4	16.3
Franklin	1,733.9	1,507.3	1,506.1	1.2	226.6	104.3	34.2	88.1
George	533.7	386.5	327.1	59.4	147.2	34.4	69.3	43.5
Greene	827.4	634.2	634.2	.	193.2	87.1	58.9	47.2
Grenada	246.6	57.5	57.5	.	189.1	118.2	36.4	34.5
Hancock	479.6	383.5	377.5	6.0	96.1	11.0	42.8	42.3
Harrison	806.8	707.7	707.7	.	99.1	11.4	35.9	51.8
Hinds	289.9	136.6	128.9	7.7	153.3	87.3	26.0	40.0
Holmes	211.1	71.2	64.3	6.9	139.9	63.3	24.1	52.5
Humphreys	162.5	.	.	.	162.5	98.5	22.5	41.5
Issaquena	549.7	20.7	.	20.7	529.0	139.2	70.3	319.5
Itawamba	296.5	101.9	95.8	6.1	194.6	72.0	35.4	87.2
Jackson	1,004.0	630.4	599.1	31.3	373.6	56.8	255.0	61.8
Jasper	953.5	748.0	740.1	7.9	205.5	83.9	61.1	60.5
Jefferson	944.5	702.3	355.1	347.2	242.2	91.0	38.7	112.5
Jefferson Davis	339.5	258.5	258.5	.	81.0	31.6	28.7	20.7
Jones	1,190.3	982.2	982.2	.	208.1	90.2	58.5	59.4
Kemper	799.0	567.5	566.5	1.0	231.5	117.8	55.3	58.4
Lafayette	444.7	251.2	250.3	.9	193.5	134.7	18.7	40.1
Lamar	514.8	400.5	400.5	.	114.3	10.0	54.9	49.4
Lauderdale	1,076.4	794.1	794.1	.	282.3	142.8	64.1	75.4
Lawrence	544.6	386.6	375.8	10.8	158.0	77.4	45.8	34.8
Leake	712.1	421.6	419.4	2.2	290.5	179.9	50.0	60.6
Lee	42.9	10.3	10.3	.	32.6	16.1	2.2	14.3
Leflore	100.0	.	.	.	100.0	67.1	5.2	27.7

**Table 5.—Sawtimber volume on commercial forest land by species group and county, Mississippi, 1967 (Continued)**

County	All species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	Other
<i>----- Million board feet -----</i>								
Lincoln	<b>682.0</b>	<b>440.0</b>	<b>437.6</b>	<b>2.4</b>	<b>242.0</b>	<b>103.1</b>	<b>50.8</b>	<b>88.1</b>
Lowndes	<b>148.4</b>	<b>76.4</b>	<b>49.5</b>	<b>26.9</b>	<b>72.0</b>	<b>33.8</b>	<b>18.3</b>	<b>19.9</b>
Madison	<b>314.7</b>	<b>150.0</b>	<b>137.2</b>	<b>12.8</b>	<b>164.7</b>	<b>98.9</b>	<b>43.0</b>	<b>22.8</b>
Marion	<b>541.5</b>	<b>345.8</b>	<b>345.8</b>	...	<b>195.7</b>	<b>79.7</b>	<b>54.3</b>	<b>61.7</b>
Marshall	<b>227.7</b>	<b>73.0</b>	<b>63.9</b>	<b>9.1</b>	<b>154.7</b>	<b>69.5</b>	<b>35.5</b>	<b>49.7</b>
Monroe	<b>324.7</b>	<b>135.4</b>	<b>135.4</b>	.	<b>189.3</b>	<b>95.9</b>	<b>44.3</b>	<b>49.1</b>
Montgomery	<b>312.9</b>	<b>144.2</b>	<b>144.2</b>	.	<b>168.7</b>	<b>103.4</b>	<b>23.1</b>	<b>42.2</b>
Neshoba	<b>680.6</b>	<b>453.4</b>	<b>453.1</b>	.3	<b>227.2</b>	<b>103.1</b>	<b>67.1</b>	<b>57.0</b>
Newton	<b>651.2</b>	<b>350.1</b>	<b>350.1</b>	.	<b>301.1</b>	<b>165.0</b>	<b>54.0</b>	<b>82.1</b>
Noxubee	<b>628.3</b>	<b>404.2</b>	<b>394.6</b>	<b>9.6</b>	<b>224.1</b>	<b>117.3</b>	<b>33.0</b>	<b>73.8</b>
Oktibbeha	<b>297.8</b>	<b>127.3</b>	<b>127.3</b>	...	<b>170.5</b>	<b>110.8</b>	<b>21.5</b>	<b>38.2</b>
Panola	<b>120.2</b>	<b>3.2</b>	<b>2.3</b>	.9	<b>117.0</b>	<b>78.0</b>	<b>12.2</b>	<b>26.8</b>
Pearl River	<b>697.5</b>	<b>511.0</b>	<b>504.1</b>	<b>6.9</b>	<b>186.5</b>	<b>36.4</b>	<b>89.6</b>	<b>60.5</b>
Perry	<b>970.9</b>	<b>817.1</b>	<b>813.9</b>	<b>3.2</b>	<b>153.8</b>	<b>43.6</b>	<b>80.0</b>	<b>30.2</b>
Pike	<b>344.1</b>	<b>186.8</b>	<b>186.8</b>	.	<b>157.3</b>	<b>61.2</b>	<b>68.8</b>	<b>27.3</b>
Pontotoc	<b>193.1</b>	<b>116.8</b>	<b>116.8</b>	.	<b>76.3</b>	<b>52.2</b>	<b>6.0</b>	<b>18.1</b>
Prentiss	<b>157.8</b>	<b>58.6</b>	<b>58.6</b>	.	<b>99.2</b>	<b>62.8</b>	<b>12.2</b>	<b>24.2</b>
Quitman	<b>61.9</b>	<b>1.3</b>	...	1.3	<b>60.6</b>	<b>21.6</b>	<b>11.2</b>	<b>27.8</b>
Rankin	<b>1,011.1</b>	<b>623.4</b>	<b>620.7</b>	2.7	<b>387.7</b>	<b>237.3</b>	<b>43.7</b>	<b>106.7</b>
Scott	<b>763.1</b>	<b>525.0</b>	<b>525.0</b>	.	<b>238.1</b>	<b>160.2</b>	<b>34.9</b>	<b>43.0</b>
Sharkey	<b>372.6</b>	<b>4.0</b>	...	<b>4.0</b>	<b>368.6</b>	<b>233.1</b>	<b>57.3</b>	<b>78.2</b>
Simpson	<b>482.9</b>	<b>314.4</b>	<b>314.4</b>	.	<b>168.5</b>	<b>91.9</b>	<b>29.6</b>	<b>47.0</b>
Smith	<b>1,130.6</b>	<b>919.5</b>	<b>919.5</b>	.	<b>211.1</b>	<b>73.1</b>	<b>49.2</b>	<b>88.8</b>
Stone	<b>672.9</b>	<b>572.0</b>	<b>571.4</b>	.6	<b>100.9</b>	<b>23.1</b>	<b>49.7</b>	<b>28.1</b>
Sunflower	<b>125.8</b>	<b>62.2</b>	.	<b>62.2</b>	<b>63.6</b>	<b>19.0</b>	.	<b>44.6</b>
Tallahatchie	<b>236.4</b>	<b>23.4</b>	<b>8.1</b>	<b>15.3</b>	<b>213.0</b>	<b>80.3</b>	<b>47.0</b>	<b>85.7</b>
Tate	<b>104.1</b>	<b>1.3</b>	.	1.3	<b>102.8</b>	<b>29.7</b>	<b>25.7</b>	<b>47.4</b>
Tippah	<b>162.9</b>	<b>51.4</b>	<b>51.4</b>	.	<b>111.5</b>	<b>62.9</b>	<b>13.2</b>	<b>35.4</b>
Tishomingo	<b>282.1</b>	<b>162.8</b>	<b>162.8</b>	.	<b>119.3</b>	<b>26.9</b>	<b>49.7</b>	<b>42.7</b>
Tunica	<b>198.8</b>	<b>4.8</b>	.	<b>4.8</b>	<b>194.0</b>	<b>15.6</b>	<b>8.7</b>	<b>169.7</b>
Union	<b>105.4</b>	<b>28.7</b>	<b>28.3</b>	.4	<b>76.7</b>	<b>31.3</b>	<b>15.8</b>	<b>29.6</b>
Walthall	<b>399.1</b>	<b>185.4</b>	<b>181.9</b>	3.5	<b>213.7</b>	<b>8.9</b>	<b>159.9</b>	<b>44.9</b>
Warren	<b>707.4</b>	<b>23.9</b>	<b>18.1</b>	<b>5.8</b>	<b>683.5</b>	<b>175.6</b>	<b>101.0</b>	<b>406.9</b>
Washington	<b>127.5</b>	...	.	.	<b>127.5</b>	<b>24.3</b>	<b>19.0</b>	<b>84.2</b>
Wayne	<b>1,208.7</b>	<b>939.4</b>	<b>939.4</b>	.	<b>269.3</b>	<b>158.0</b>	<b>48.4</b>	<b>62.9</b>
Webster	<b>323.1</b>	<b>169.6</b>	<b>169.6</b>	.	<b>153.5</b>	<b>117.2</b>	<b>15.1</b>	<b>21.2</b>
Wilkinson	<b>1,605.2</b>	<b>1,175.8</b>	<b>1,147.2</b>	<b>28.6</b>	<b>429.4</b>	<b>144.7</b>	<b>121.3</b>	<b>163.4</b>
Winston	<b>596.8</b>	<b>371.8</b>	<b>371.8</b>	.	<b>225.0</b>	<b>148.2</b>	<b>32.0</b>	<b>44.8</b>
Yalobusha	<b>249.9</b>	<b>118.8</b>	<b>118.5</b>	.3	<b>131.1</b>	<b>87.1</b>	<b>15.5</b>	<b>28.5</b>
Yazoo	<b>674.5</b>	<b>5.4</b>	.	<b>5.4</b>	<b>669.1</b>	<b>261.2</b>	<b>107.9</b>	<b>300.0</b>
All counties	<b>42,235.5</b>	<b>25,436.9</b>	<b>24,628.8</b>	<b>808.1</b>	<b>16,798.6</b>	<b>7,214.6</b>	<b>3,671.5</b>	<b>5,912.5</b>

Table 6.—**Sawtimber volume on commercial forest land** by **species group**, diameter class and county, Mississippi, 1967

County	All species	Softwood			Hardwood		
		Total	9.0-14.9 inches	15.0 inches and up	Total	11.0-14.9 inches	15.0 inches and up
----- Million board feet -----							
Adams	564.4	231.2	<b>65.9</b>	165.3	333.2	112.7	220.5
Alcorn	139.5	14.5	37.0	4.5	98.0	41.9	56.1
Amite	<b>1,052.4</b>	813.8	407.9	405.9	238.6	143.0	95.6
Attala	531.8	306.7	214.7	92.0	225.1	104.4	120.7
Benton	401.8	135.1	101.5	33.6	266.7	140.6	126.1
Bolivar	349.6	23.3	1.2	22.1	326.3	68.0	258.3
Calhoun	387.7	306.0	242.0	64.0	81.7	63.5	18.2
Carroll	305.4	39.6	33.1	6.5	265.8	110.0	155.8
Chickasaw	211.1	87.3	53.2	34.1	123.8	61.1	62.7
Choctaw	307.4	228.0	150.1	77.9	79.4	51.6	27.8
Claiborne	586.0	152.6	108.7	43.9	433.4	192.2	241.2
Clarke	980.2	723.3	431.6	291.7	256.9	136.6	120.3
Clay	262.8	38.1	33.3	4.8	224.7	138.9	85.8
Coahoma	193.3	26.9	...	26.9	166.4	56.7	109.7
Copiah	<b>1,135.5</b>	737.5	<b>329.1</b>	408.4	398.0	165.2	232.8
Covington	468.6	264.6	142.6	122.0	204.0	107.9	96.1
De Soto	171.7	12.9	2.6	10.3	158.8	66.8	92.0
Forrest	486.1	430.6	340.5	so.1	55.5	36.3	19.2
Franklin	<b>1,733.9</b>	<b>1,507.3</b>	685.7	821.6	226.6	97.2	129.4
George	533.7	386.5	246.1	140.4	147.2	70.7	76.5
Greene	827.4	634.2	350.2	284.0	193.2	100.7	92.5
Grenada	246.6	57.5	33.5	24.0	189.1	57.7	131.4
Hancock	479.6	383.5	259.2	124.3	96.1	53.9	42.2
Harrison	806.8	707.7	514.5	193.2	99.1	51.6	47.5
Hinds	289.9	136.6	69.9	66.7	153.3	73.1	80.2
Holmes	211.1	71.2	55.8	15.4	139.9	55.7	84.2
Humphreys	162.5	.	...	.	162.5	48.2	114.3
Issaquena	549.7	20.7	,	20.7	529.0	111.4	417.6
Itawamba	296.5	101.9	86.8	15.1	194.6	108.0	86.6
Jackson	<b>1,004.0</b>	630.4	447.5	182.9	373.6	118.4	255.2
Jasper	953.5	748.0	365.3	382.7	205.5	90.9	114.6
Jefferson	944.5	702.3	339.5	362.8	242.2	111.6	130.6
Jefferson Davis	339.5	258.5	125.0	133.5	81.0	44.8	36.2
Jones	<b>1,190.3</b>	982.2	454.8	527.4	208.1	112.7	95.4
Kemper	799.0	567.5	324.0	243.5	231.5	115.6	115.9
Lafayette	444.7	251.2	164.9	86.3	193.5	94.4	99.1
Lamar	514.8	400.5	271.9	128.6	114.3	69.0	45.3
Lauderdale	<b>1,076.4</b>	794.1	554.9	239.2	282.3	170.0	112.3
Lawrence	544.6	386.6	233.2	153.4	158.0	69.8	88.2
Leake	712.1	421.6	343.1	78.5	290.5	135.7	154.8
Lee	42.9	10.3	7.5	2.8	32.6	19.4	13.2
Leflore	100.0	.	.	.	100.0	54.6	45.4

Table 6.—*Sawtimber*  
on commercial **forest land** by species group, diameter  
class and county, **Mississippi**, 1967 (Continued)

County	All species	Softwood			Hardwood		
		Total	9.0- 14.9 inches	15.0 inches and up	Total	11.0- 14.9 inches	15.0 inches and up
<b>Million board feet</b>							
Lincoln	682.0	440.0	<b>209.9</b>	230.1	242.0	110.8	131.2
Lowndes	148.4	76.4	45.6	30.8	72.0	43.5	28.5
Madison	314.7	150.0	80.0	70.0	164.7	64.1	100.6
Marion	541.5	345.8	218.9	126.9	195.7	85.0	110.7
Marshall	227.7	73.0	54.8	18.2	154.7	75.6	79.1
Monroe	324.7	135.4	117.9	17.5	189.3	131.6	57.7
Montgomery	312.9	144.2	88.5	55.7	168.7	83.6	85.1
Neshoba	680.6	453.4	299.6	153.8	227.2	116.3	110.9
Newton	651.2	350.1	244.4	105.7	301.1	131.4	169.7
Noxubee	628.3	404.2	256.1	148.1	224.1	113.9	110.2
Oktibbeha	297.8	127.3	71.4	55.9	170.5	86.1	84.4
Panola	120.2	3.2	...	<b>3.2</b>	117.0	41.7	75.3
Pearl River	697.5	511.0	362.7	148.3	186.5	116.3	70.2
Perry	970.9	817.1	616.6	200.5	153.8	97.2	56.6
Pike	344.1	186.8	150.3	36.5	157.3	66.8	90.5
Pontotoc	193.1	116.8	92.7	24.1	76.3	48.3	28.0
Prentiss	157.8	58.6	52.4	6.2	99.2	59.4	39.8
Quitman	61.9	1.3	1.3	...	60.6	24.7	35.9
Rankin	<b>1,011.1</b>	623.4	438.5	184.9	387.7	201.5	186.2
Scott	763.1	525.0	350.2	174.8	238.1	114.3	123.8
Sharkey	372.6	4.0	.	4.0	368.6	64.3	304.3
Simpson	482.9	314.4	170.4	144.0	168.5	100.1	68.4
Smith	<b>1,130.6</b>	919.5	591.3	328.2	211.1	122.8	88.3
Stone	672.9	572.0	415.5	156.5	100.9	67.6	33.3
Sunflower	125.8	62.2	7.5	54.7	63.6	33.4	30.2
Tallahatchie	236.4	23.4	23.4	...	213.0	117.9	95.1
Tate	104.1	1.3	.	1.3	102.8	72.9	29.9
Tippah	162.9	51.4	44.7	6.7	111.5	75.6	35.9
Tishomingo	282.1	162.8	119.9	42.9	119.3	63.4	55.9
Tunica	198.8	4.8	.	4.8	194.0	39.8	154.2
Union	105.4	28.7	21.8	6.9	76.7	46.5	30.2
Walthall	399.1	185.4	152.6	32.8	213.7	90.7	123.0
Warren	707.4	23.9	4.1	19.8	683.5	246.2	437.3
Washington	127.5	.	.	...	127.5	53.6	73.9
Wayne	<b>1,208.7</b>	939.4	576.1	363.3	269.3	172.2	97.1
Webster	323.1	169.6	146.6	23.0	153.5	90.4	63.1
Wilkinson	<b>1,605.2</b>	<b>1,175.8</b>	519.1	656.7	429.4	176.2	253.2
Winston	596.8	371.8	240.5	131.3	225.0	108.3	116.7
Yalobusha	249.9	118.8	79.9	38.9	131.1	66.4	64.7
Yazoo	674.5	5.4	4.5	.9	669.1	256.5	412.6
All counties	<b>42,235.5</b>	<b>25,436.9</b>	1 5 , 4 9 8 . 0	<b>9,938.9</b>	<b>16,798.6</b>	<b>7,709.4</b>	<b>9,089.2</b>

Table 7.—*Net* annual growth of growing stock on commercial forest land by species group and county, Mississippi, 1966

County	All species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	Other
----- Million cubic feet -----								
Adams	7.7	2.3	2.3	( <sup>1</sup> )	5.4	1.5	1.1	2.8
Alcorn	4.6	1.6	1.6	( <sup>1</sup> )	3.0	2.1	.3	.6
Amite	24.8	20.0	20.0	.	4.8	2.5	1.4	.9
Attala	17.4	9.9	9.7	.2	7.5	3.3	2.0	2.2
Benton	9.3	4.0	4.0	( <sup>1</sup> )	5.3	3.0	.9	1.4
Bolivar	5.6	.1	( <sup>1</sup> )	.1	5.5	.6	.4	4.5
Calhoun	9.7	7.4	7.2	.2	2.3	1.6	.3	.4
Carroll	7.8	3.4	3.4	( <sup>1</sup> )	4.4	2.1	1.1	1.2
Chickasaw	6.6	2.8	2.8	( <sup>1</sup> )	3.8	2.6	.7	.5
Choctaw	9.2	5.8	5.8	.	3.4	2.4	.4	.6
Claiborne	10.7	3.9	3.9	( <sup>1</sup> )	6.8	1.7	1.2	3.9
Clarke	22.7	16.3	16.3	( <sup>1</sup> )	6.4	3.7	1.5	1.2
Clay	4.8	.7	.7	...	4.1	2.4	.3	1.4
Coahoma	3.0	.1	.	.1	2.9	.5	.2	2.2
Copiah	19.9	13.2	13.2	( <sup>1</sup> )	6.7	3.5	1.5	1.7
Covington	7.9	4.6	4.5	.1	3.3	1.9	.8	.6
De Soto	3.4	.1	.	.1	3.3	1.2	.4	1.7
Forrest	10.2	9.4	9.4	.	.8	.4	.3	.1
Franklin	26.4	21.4	21.4	( <sup>1</sup> )	5.0	3.0	.9	1.1
George	9.8	7.7	7.4	.3	2.1	.7	.4	1.0
Greene	15.9	11.8	11.8	.	4.1	2.1	1.1	.9
Grenada	6.2	2.2	2.1	.1	4.0	3.0	.3	.7
Hancock	8.9	7.2	6.9	.3	1.7	.2	.4	1.1
Harrison	16.7	14.6	14.4	.2	2.1	.3	.4	1.4
Hinds	9.0	4.0	4.0	( <sup>1</sup> )	5.0	2.5	.6	1.9
Holmes	7.6	2.2	2.1	.1	5.4	2.2	1.7	1.5
Humphreys	3.0	( <sup>1</sup> )	.	( <sup>1</sup> )	3.0	1.2	.4	1.4
Issaquena	6.1	( <sup>1</sup> )	.	( <sup>1</sup> )	6.1	2.0	.6	3.5
Itawamba	10.3	5.5	5.5	( <sup>1</sup> )	4.8	2.5	1.0	1.3
Jackson	17.3	12.9	12.5	.4	4.4	.8	2.3	1.3
Jasper	20.0	14.9	14.9	( <sup>1</sup> )	5.1	2.4	1.6	1.1
Jefferson	12.7	7.6	5.1	2.5	5.1	2.3	.8	2.0
Jefferson Davis	7.6	5.4	5.4	...	2.2	.9	.9	.4
Jones	16.7	13.4	13.4	( <sup>1</sup> )	3.3	1.6	1.0	.7
Kemper	21.0	13.4	13.3	.1	7.6	4.2	2.2	1.2
Lafayette	8.4	3.6	3.6	( <sup>1</sup> )	4.8	3.3	.9	.6
Lamar	7.8	6.0	6.0	.	1.8	.4	.4	1.0
Lauderdale	25.0	16.9	16.9	.	8.1	5.0	1.7	1.4
Lawrence	10.7	8.1	8.0	.1	2.6	1.4	.4	.8
Leake	16.6	10.8	10.7	.1	5.8	4.0	1.2	.6
Lee	2.1	.5	.3	.2	1.6	.4	.8	.4
Leflore	4.5	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )	4.5	3.0	.4	1.1

Table 7.—Net annual growth of growing stock on commercial forest land by species group and county, Mississippi, 1966 (Continued)

County	All species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	Other
----- Million cubic feet -----								
Lincoln	15.9	11.9	11.9	( <sup>1</sup> )	4.0	1.8	1.1	1.1
Lowndes	5.2	1.4	1.0	.4	3.8	2.2	1.0	.6
Madison	8.9	4.5	4.2	.3	4.4	2.4	.6	1.4
Marion	8.5	5.2	5.2	.	3.3	1.5	1.0	.8
Marshall	6.8	2.2	2.0	.2	4.6	1.5	.6	2.5
Monroe	11.1	4.7	4.7	.	6.4	3.5	1.2	1.7
Montgomery	7.7	4.6	4.6	( <sup>1</sup> )	3.1	1.9	.6	.6
Neshoba	14.8	9.1	8.9	.2	5.7	3.8	1.3	.6
Newton	14.5	9.9	9.9	.	4.6	2.6	.8	1.2
Noxubee	11.4	6.6	6.5	.1	4.8	3.0	.5	1.3
Oktibbeha	6.7	3.6	3.5	.1	3.1	2.1	.3	.7
Panola	4.2	.5	.5	( <sup>1</sup> )	3.7	2.2	.4	1.1
Pearl River	12.3	9.6	9.6	( <sup>1</sup> )	2.7	.7	.9	1.1
Perry	14.5	11.9	11.9	( <sup>1</sup> )	2.6	1.0	1.0	.6
Pike	6.8	4.6	4.6	.	2.2	.8	1.1	.3
Pontotoc	5.9	2.8	2.8	( <sup>1</sup> )	3.1	2.3	.3	.5
Prentiss	6.0	3.1	2.9	.2	2.9	1.7	.4	.8
Quitman	2.6	( <sup>1</sup> )	.	( <sup>1</sup> )	2.6	1.2	.4	1.0
Rankin	26.7	17.8	17.8	( <sup>1</sup> )	8.9	4.8	2.7	1.4
Scott	18.3	13.5	13.5	.	4.8	3.5	.6	.7
Sharkey	2.8	( <sup>1</sup> )	.	( <sup>1</sup> )	2.8	1.4	.5	.9
Simpson	14.2	9.8	9.8	( <sup>1</sup> )	4.4	1.9	.7	1.8
Smith	23.0	16.8	16.8	( <sup>1</sup> )	6.2	2.4	1.9	1.9
Stone	11.3	9.3	9.2	.1	2.0	.5	.8	.7
Sunflower	3.3	.3	( <sup>1</sup> )	.3	3.0	.3	.	2.7
Tallahatchie	7.2	1.2	.4	.8	6.0	1.7	2.3	2.0
Tate	4.7	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )	4.7	1.6	.6	2.5
Tippah	6.8	2.6	2.6	( <sup>1</sup> )	4.2	2.9	.3	1.0
Tishomingo	9.6	5.5	5.5	( <sup>1</sup> )	4.1	2.2	.7	1.2
Tunica	2.3	( <sup>1</sup> )	.	( <sup>1</sup> )	2.3	.7	.1	1.5
Union	4.7	1.8	1.8	( <sup>1</sup> )	2.9	1.0	.6	1.3
Walthall	4.8	3.2	3.2	( <sup>1</sup> )	1.6	.3	.8	.5
Warren	9.3	.1	.1	( <sup>1</sup> )	9.2	2.4	1.2	5.6
Washington	2.4	( <sup>1</sup> )	.	( <sup>1</sup> )	2.4	.8	.3	1.3
Wayne	20.2	15.3	15.3	( <sup>1</sup> )	4.9	2.9	.8	1.2
Webster	8.6	5.7	5.6	.1	2.9	1.9	.6	.4
Wilkinson	20.5	14.1	13.9	.2	6.4	2.8	1.1	2.5
Winston	14.5	10.3	10.3	( <sup>1</sup> )	4.2	3.0	.6	.6
Yalobusha	8.0	4.4	4.3	.1	3.6	2.4	.6	.6
Yazoo	16.9	.2	.	.2	10.7	4.2	1.7	4.8
All counties	873.5	523.8	515.3	8.5	349.7	168.2	70.2	111.3

<sup>1</sup> Negligible.

**Table 8-Net annual growth of sawtimber on commercial forest land by species and county, Mississippi, 1966**

County	All species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	Other
----- Million board feet -----								
Adams	<b>30.9</b>	<b>12.8</b>	<b>12.7</b>	<b>0.1</b>	<b>18.1</b>	<b>4.1</b>	<b>5.9</b>	<b>8.1</b>
Alcorn	<b>13.4</b>	<b>4.6</b>	<b>4.6</b>	<sup>(1)</sup>	<b>8.8</b>	<b>4.5</b>	<b>1.1</b>	<b>3.2</b>
Amite	<b>74.8</b>	<b>66.0</b>	<b>66.0</b>	.	<b>8.8</b>	<b>4.6</b>	<b>1.0</b>	<b>3.2</b>
Attala	<b>43.3</b>	<b>26.2</b>	<b>25.9</b>	.3	<b>17.1</b>	<b>10.5</b>	<b>2.7</b>	<b>3.9</b>
Benton	<b>21.3</b>	<b>9.1</b>	<b>9.0</b>	.1	<b>12.2</b>	<b>6.1</b>	<b>3.0</b>	<b>3.1</b>
Bolivar	<b>18.4</b>	.5	<sup>(1)</sup>	.5	<b>17.9</b>	<b>1.6</b>	<b>1.2</b>	<b>15.1</b>
Calhoun	<b>30.0</b>	<b>24.3</b>	<b>24.3</b>	...	<b>5.7</b>	<b>4.7</b>	.4	.6
Carroll	<b>14.2</b>	<b>4.5</b>	<b>4.5</b>	<sup>(1)</sup>	<b>9.7</b>	<b>6.6</b>	<b>1.0</b>	<b>2.1</b>
Chickasaw	<b>12.1</b>	<b>6.3</b>	<b>6.3</b>	<sup>(1)</sup>	<b>5.8</b>	<b>3.5</b>	.9	<b>1.4</b>
Choctaw	<b>22.8</b>	<b>18.1</b>	<b>18.1</b>	<sup>(1)</sup>	<b>4.7</b>	<b>2.0</b>	.4	<b>2.3</b>
Claiborne	<b>26.5</b>	<b>11.8</b>	<b>11.6</b>	.2	<b>14.7</b>	<b>3.7</b>	<b>2.9</b>	<b>8.1</b>
Clarke	<b>63.0</b>	<b>50.9</b>	<b>50.9</b>	<sup>(1)</sup>	<b>12.1</b>	<b>8.0</b>	<b>1.7</b>	<b>2.4</b>
Clay	<b>14.9</b>	<b>3.3</b>	<b>3.3</b>	<sup>(1)</sup>	<b>11.6</b>	<b>8.3</b>	.8	<b>2.5</b>
Coahoma	<b>8.6</b>	.6	.	.6	<b>8.0</b>	.7	.1	<b>7.2</b>
Copiah	<b>67.4</b>	<b>50.8</b>	<b>50.4</b>	.4	<b>16.6</b>	<b>9.2</b>	<b>2.3</b>	<b>5.1</b>
Covington	<b>26.7</b>	<b>18.9</b>	<b>18.6</b>	.3	<b>7.8</b>	<b>5.3</b>	<b>1.4</b>	<b>1.1</b>
De Soto	<b>7.1</b>	.6	<sup>(1)</sup>	.6	<b>6.5</b>	<b>1.4</b>	<b>1.5</b>	<b>3.6</b>
Forrest	<b>43.0</b>	<b>41.3</b>	<b>41.3</b>	.	<b>1.7</b>	.7	.6	.4
Franklin	<b>112.0</b>	<b>104.9</b>	<b>104.8</b>	.1	<b>7.1</b>	<b>3.6</b>	.9	<b>2.6</b>
George	<b>36.8</b>	<b>30.5</b>	<b>28.4</b>	<b>2.1</b>	<b>6.3</b>	<b>1.1</b>	<b>1.3</b>	<b>3.9</b>
Greene	<b>46.1</b>	<b>37.0</b>	<b>37.0</b>	.	<b>9.1</b>	<b>2.8</b>	<b>1.2</b>	<b>5.1</b>
Grenada	<b>11.6</b>	<b>4.2</b>	<b>4.2</b>		<b>7.4</b>	<b>5.5</b>	.9	<b>1.0</b>
Hancock	<b>30.2</b>	<b>27.8</b>	<b>27.6</b>	.2	<b>2.4</b>	.4	.8	<b>1.2</b>
Harrison	<b>63.4</b>	<b>57.0</b>	<b>57.0</b>	...	<b>6.4</b>	.5	<b>3.3</b>	<b>2.6</b>
Hinds	<b>32.4</b>	<b>12.1</b>	<b>11.8</b>	.3	<b>20.3</b>	<b>5.9</b>	.8	<b>13.6</b>
Holmes	<b>14.2</b>	<b>6.6</b>	<b>6.3</b>	.3	<b>7.6</b>	<b>4.3</b>	<b>1.2</b>	<b>2.1</b>
Humphreys	<b>6.2</b>	<sup>(1)</sup>	.	<sup>(1)</sup>	<b>6.2</b>	<b>3.7</b>	.8	<b>1.7</b>
Issaquena	<b>23.1</b>	.3		.3	<b>22.8</b>	<b>6.3</b>	<b>1.7</b>	<b>14.8</b>
Itawamba	<b>23.6</b>	<b>12.2</b>	<b>12.0</b>	.2	<b>11.4</b>	<b>5.1</b>	<b>1.0</b>	<b>5.3</b>
Jackson	<b>53.7</b>	<b>44.8</b>	<b>42.4</b>	<b>2.4</b>	<b>8.9</b>	<b>2.8</b>	<b>4.6</b>	<b>1.5</b>
Jasper	<b>71.4</b>	<b>60.0</b>	<b>59.8</b>	.2	<b>11.4</b>	<b>5.5</b>	<b>2.7</b>	<b>3.2</b>
Jefferson	<b>48.8</b>	<b>38.0</b>	<b>21.7</b>	<b>16.3</b>	<b>10.8</b>	<b>3.4</b>	<b>3.2</b>	<b>4.2</b>
Jefferson Davis	<b>19.6</b>	<b>15.3</b>	<b>15.3</b>	.	<b>4.3</b>	<b>2.3</b>	.6	<b>1.4</b>
Jones	<b>73.4</b>	<b>61.8</b>	<b>61.8</b>	.	<b>11.6</b>	<b>5.7</b>	<b>1.5</b>	<b>4.4</b>
Kemper	<b>56.0</b>	<b>43.4</b>	<b>43.3</b>	.1	<b>12.6</b>	<b>9.3</b>	<b>1.9</b>	<b>1.4</b>
Lafayette	<b>31.2</b>	<b>17.0</b>	<b>16.9</b>	.1	<b>14.2</b>	<b>9.4</b>	.6	<b>4.2</b>
Lamar	<b>43.3</b>	<b>37.0</b>	<b>37.0</b>		<b>6.3</b>	.4	<b>1.1</b>	<b>4.8</b>
Lauderdale	<b>80.4</b>	<b>64.5</b>	<b>64.5</b>	.	<b>15.9</b>	<b>8.9</b>	<b>1.8</b>	<b>5.2</b>
Lawrence	<b>37.0</b>	<b>27.9</b>	<b>27.5</b>	.4	<b>9.1</b>	<b>3.6</b>	<b>2.3</b>	<b>3.2</b>
Leake	<b>51.3</b>	<b>39.5</b>	<b>39.3</b>	.2	<b>11.8</b>	<b>8.8</b>	<b>1.4</b>	<b>1.6</b>
Lee	<b>2.2</b>	<b>1.2</b>	<b>1.2</b>	.	<b>1.0</b>	.6	.	.4
Leflore	<b>8.3</b>	<sup>(1)</sup>	<sup>(1)</sup>	<sup>(1)</sup>	<b>8.3</b>	<b>3.7</b>	.3	<b>4.3</b>

**Table**  
**group and county, Mississippi, 1966 (Continued)**

County	All species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	
----- Million board feet -----								
Lincoln	47.3	34.2	34.1	.1	13.1	6.7	1.2	5.2
Lowndes	11.8	4.5	3.1	1.4	7.3	4.2	.5	2.6
Madison	21.4	12.7	11.4	1.3	8.7	6.9	1.1	.7
Marion	30.7	21.7	21.7	.1	9.0	2.6	2.8	3.6
Marshall	15.4	6.1	5.6	.5	9.3	4.4	.9	4.0
Monroe	32.9	16.2	16.2	.1	16.7	7.8	2.6	6.3
Montgomery	20.7	9.7	9.7	.1	11.0	7.7	.6	2.7
Neshoba	43.0	35.1	35.1	( <sup>1</sup> )	7.9	4.3	1.9	1.7
Newton	44.4	33.0	33.0	.1	11.4	7.9	1.4	2.1
Noxubee	39.1	31.9	31.5	.4	7.1	4.1	1.0	2.0
Oktibbeha	18.8	10.3	10.3	( <sup>1</sup> )	8.5	6.9	.5	1.1
Panola	6.2	.1	.1	( <sup>1</sup> )	6.1	2.8	1.1	2.2
Pearl River	41.6	35.7	35.4	.3	5.9	2.1	2.0	1.8
Perry	65.5	61.4	61.3	.1	4.1	1.5	1.8	.8
Pike	23.3	18.7	18.7	.1	4.6	2.0	1.6	1.0
Pontotoc	17.7	11.3	11.3	.1	6.4	5.6	.2	.6
Prentiss	12.5	5.4	5.4	...	7.1	6.0	.3	.8
Quitman	4.6	.1	.1	.1	4.5	1.4	.7	2.4
Rankin	67.8	50.2	50.0	.2	17.6	13.5	1.3	2.8
Scott	74.2	58.4	58.4	..	15.8	10.1	1.1	4.6
Sharkey	14.2	.1	.1	.1	14.1	7.1	3.5	3.5
Simpson	39.5	27.5	27.5	.1	12.1	10.0	.8	1.3
Smith	93.1	81.8	81.8	.1	11.3	5.0	1.3	5.0
Stone	49.5	40.4	40.4	( <sup>1</sup> )	9.1	3.4	1.1	4.6
Sunflower	4.8	1.9	( <sup>1</sup> )	1.9	2.9	.8	...	2.1
Tallahatchie	18.8	1.5	.6	.9	17.3	5.1	3.2	9.0
Tate	5.3	( <sup>1</sup> )	( <sup>1</sup> )	( <sup>1</sup> )	5.3	1.9	.7	2.7
Tippah	19.4	7.6	7.6	.1	11.8	6.8	.4	4.6
Tishomingo	16.4	11.7	11.7	.1	4.7	1.2	2.3	1.2
Tunica	7.9	.1	.1	.1	7.8	.9	.3	6.6
Union	9.5	3.2	3.1	.1	6.3	3.6	.4	2.3
Walthall	18.0	13.9	13.7	.2	4.1	.4	2.7	1.0
Warren	52.3	.9	.6	.3	51.4	12.3	7.6	31.5
Washington	6.2	( <sup>1</sup> )	.1	( <sup>1</sup> )	6.2	1.1	.8	4.3
Wayne	86.0	69.1	69.1	.1	16.9	11.4	2.8	2.7
Webster	22.2	16.0	16.0	.1	6.2	3.6	1.5	1.1
Wilkinson	117.6	92.7	92.0	.7	24.9	6.6	6.5	11.8
Winston	41.0	30.1	30.1	.1	10.9	9.1	.7	1.1
Yalobusha	15.4	6.5	6.3	.2	8.9	6.5	1.5	.9
Yazoo	43.9	.3	.1	.3	43.6	16.5	4.2	22.9
All counties	2,834.5	1,955.6	1,920.1	35.5	878.9	410.9	131.7	336.3

<sup>1</sup>Negligible.

Table on commercial **forest** land by species group and county, Mississippi, 1966

County	All species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	Other
<b>Million cubic feet</b>								
Adams	8.7	1.5	1.5	.	7.2	2.0	1.1	4.1
Alcorn	2.0	.9	.8	.1	1.1	.3	.3	.5
Amite	9.6	7.3	7.3	.	2.3	1.4	.7	.2
Attala	6.2	2.7	2.7	.	3.5	.8	2.1	.6
Benton	3.6	1.3	1.2	.1	2.3	1.3	.5	.5
Bolivar	3.3	.1	.	.1	3.2	1.1	.2	1.9
Calhoun	5.8	1.0	1.0	.	4.8	2.5	1.5	.8
Carroll	6.6	.8	.8	.	5.8	3.3	1.0	1.5
Chickasaw	3.9	2.1	2.1	.	1.8	.9	.4	.5
Choctaw	1.9	1.1	1.1	.	.8	.2	.5	.1
Claiborne	6.9	1.5	.9	.6	5.4	1.0	1.7	2.7
Clarke	18.3	12.3	12.1	.2	6.0	2.9	2.1	1.0
Clay	5.5	.9	.9	.	4.6	3.5	.3	.8
Coahoma	3.1	.1	.	.1	3.0	1.1	.7	1.2
Copiah	10.7	7.1	7.1	.	3.6	1.8	.9	.9
Covington	4.5	2.2	2.2	.	2.3	.5	.9	.9
De Soto	3.4	.1	.	.1	3.3	.9	.5	1.9
Forrest	7.4	5.6	5.6	.	1.8	.6	1.1	.1
Franklin	11.1	7.9	7.9	.	3.2	1.1	1.2	.9
George	5.3	4.1	4.1	...	1.2	.1	.5	.6
Greene	10.4	7.3	7.3	...	3.1	1.3	1.2	.6
Grenada	3.0	.4	.3	.1	2.6	1.1	.6	.9
Hancock	3.9	3.3	3.3	.	.6	.1	.2	.3
Harrison	5.4	4.4	4.4	.	1.0	.	.4	.6
Hinds	6.8	2.3	2.3	.	4.5	1.3	2.2	1.0
Holmes	9.8	1.2	1.2	.	8.6	4.5	2.8	1.3
Humphreys	4.2	.1	.	.1	4.1	2.8	.7	.6
Issaquena	11.3	.1	.	.1	11.2	3.4	.3	7.5
Itawamba	5.9	2.5	2.4	.1	3.4	1.7	.6	1.1
Jackson	6.7	4.9	4.5	.4	1.8	1.1	.5	.2
Jasper	13.9	10.1	10.1	.	3.8	.7	1.5	1.6
Jefferson	8.0	3.3	3.3	.	4.7	1.3	1.3	2.1
Jefferson Davis	3.5	2.2	2.2	.	1.3	.2	.7	.4
Jones	11.8	6.6	6.6	.	5.2	.8	1.5	2.9
Kemper	9.3	5.4	5.4	.	3.9	1.4	2.3	.2
Lafayette	4.9	2.1	2.1	.	2.8	1.4	.9	.5
Lamar	7.2	4.6	4.6	.	2.6	1.1	.5	1.0
Lauderdale	13.3	9.3	9.3	.	4.0	1.4	2.4	.2
Lawrence	6.2	3.9	3.9	.	2.3	1.8	.2	.3
Leake	6.9	4.7	4.7	.	2.2	1.4	.7	.1
Lee	1.0	.3	.3	.	.7	.7	.	.
Leflore	4.0	.2	.1	.1	3.8	1.5	.8	1.5

Table 9.Timber removals from growing  
cies group and county, **Mississippi**, 1966 (Continued)

County	All species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	Other
<i>Million cubic feet</i>								
Lincoln	7.8	5.3	5.3	.	2.5	1.3	.5	.7
Lowndes	3.9	1.2	.4	.8	2.7	1.9	.4	.4
Madison	3.2	1.9	1.5	.4	1.3	.6	.5	.2
Marion	9.4	5.7	5.7	.	3.7	1.5	.8	1.4
Marshall	3.3	.8	.3	.5	2.5	1.1	.5	.9
Monroe	5.6	1.8	1.8	.	3.8	2.5	.5	.8
Montgomery	3.9	.8	.8	.	3.1	1.3	1.5	.3
Neshoba	5.3	3.4	3.4	...	1.9	1.1	.6	.2
Newton	7.1	4.6	4.6	.	2.5	1.6	.8	.1
Noxubee	5.6	3.9	3.9	.	1.7	1.0	.2	.5
Oktibbeha	3.5	1.1	.9	.2	2.4	1.4	.3	.7
Panola	3.5	.2	.2	.	3.3	.8	1.6	.9
Pearl River	8.6	4.8	4.8	.	3.8	.7	1.2	1.9
Perry	8.7	7.1	7.1	.	1.6	.4	.9	.3
Pike	5.4	3.6	3.6	.	1.8	1.0	.6	.2
Pontotoc	2.2	.4	.4	.	1.8	.4	.1	1.3
Prentiss	3.1	1.2	1.2	.	1.9	1.0	.7	.2
Quitman	6.4	.1	.	.1	6.3	2.0	2.6	1.7
Rankin	9.7	6.2	5.8	.4	3.5	1.9	1.1	.5
Scott	11.1	9.2	9.2	.	1.9	1.1	.3	.5
Sharkey	3.3	.1	.	.1	3.2	1.5	1.1	.6
Simpson	10.1	6.4	6.4	...	3.7	1.7	1.5	.5
Smith	10.0	7.5	7.5	.	2.5	1.4	1.0	.1
Stone	8.5	6.7	6.7	...	1.8	.9	.6	.3
Sunflower	1.6	.2	.1	.1	1.4	1.1	.	.3
Tallahatchie	7.1	.1	.	.1	7.0	4.0	1.8	1.2
Tate	1.1	.1	.	.1	1.0	.1	.3	.6
Tippah	3.1	1.6	1.6	.	1.5	.9	.4	.2
Tishomingo	3.8	2.2	2.2	...	1.6	1.4	...	.2
Tunica	3.7	.1	.	.1	3.6	1.3	.9	1.4
Union	1.8	.4	.4	.	1.4	.7	.3	.4
Walthall	4.4	2.5	2.5	.	1.9	.8	1.1	.
Warren	8.1	.2	.1	.1	7.9	2.3	2.3	3.3
Washington	6.8	.1	.	.1	6.7	1.9	2.3	2.5
Wayne	13.6	9.9	9.9	.	3.7	1.9	1.0	.8
Webster	2.9	1.9	1.9	...	1.0	.6	.2	.2
Wilkinson	14.3	3.3	3.1	.2	11.0	4.0	2.2	4.8
Winston	6.8	3.6	3.6	...	3.2	1.5	1.2	.5
Yalobusha	4.1	1.0	.8	.2	3.1	2.0	.9	.2
Yazoo	20.9	.2	.	.2	20.7	9.0	4.6	7.1
All counties	538.5	251.2	245.3	5.9	287.3	121.9	79.9	85.5

Table 10.—**Timber** removals from sawtimber on commercial forest group and county, Mississippi, 1966

County	All species	Softwood			Hardwood			Other
		Total	Pine	Other	Total	Oak	Gum	
----- Million board feet -----								
Adams	37.2	7.4	7.4	..	<b>29.8</b>	<b>9.0</b>	5.1	15.7
Alcorn	6.5	2.4	1.8	<b>.6</b>	4.1	1.3	1.2	1.6
Amite	36.7	29.5	29.5	..	7.2	4.2	2.3	<b>.7</b>
Attala	22.0	10.1	10.1	..	11.9	3.7	5.3	2.9
Benton	15.5	6.0	6.0	..	9.5	7.0	2.5	..
Bolivar	7.6	<b>.2</b>	<b>.1</b>	<b>.1</b>	7.4	<b>.7</b>	<b>.5</b>	6.2
Calhoun	21.9	2.8	2.8	..	19.1	9.2	6.2	3.7
Carroll	23.8	2.9	2.9	..	20.9	13.5	2.5	4.9
Chickasaw	13.5	7.2	7.2	..	6.3	2.9	1.2	2.2
Choctaw	5.6	3.7	3.7	..	1.9	<b>.1</b>	1.3	<b>.5</b>
Claiborne	26.9	5.9	3.4	2.5	21.0	3.5	6.7	10.8
Clarke	63.0	47.6	46.9	<b>.7</b>	15.4	9.7	2.4	3.3
Clay	22.8	2.5	2.5	..	20.3	18.5	1.0	<b>.8</b>
Coahoma	7.2	<b>.2</b>	..	<b>.2</b>	7.0	1.8	2.0	3.2
Copiah	37.5	25.1	25.1	..	12.4	6.7	2.7	3.0
Covington	14.6	8.5	8.5	..	6.1	1.1	2.1	2.9
De Soto	13.5	<b>.1</b>	..	<b>.1</b>	13.4	3.4	1.8	8.2
Forrest	29.2	24.0	24.0	..	5.2	2.4	2.8	..
Franklin	50.2	37.9	37.9	..	12.3	4.5	2.4	5.4
George	17.1	13.3	13.3	..	3.8	<b>.4</b>	1.5	1.9
Greene	36.1	27.8	27.8	..	8.3	3.6	3.7	1.0
Grenada	12.4	1.5	1.5	..	10.9	4.6	2.7	3.6
Hancock	12.3	10.6	10.6	..	1.7	<b>.2</b>	<b>.7</b>	<b>.8</b>
Harrison	21.0	18.8	18.8	..	2.2	..	<b>.7</b>	1.5
Hinds	20.1	6.3	6.3	..	13.8	4.4	6.1	3.3
Holmes	35.5	3.4	3.4	..	32.1	17.4	9.5	5.2
Humphreys	14.0	<b>.2</b>	..	<b>.2</b>	13.8	9.8	1.7	2.3
Issaquena	44.1	<b>.2</b>	..	<b>.2</b>	43.9	11.7	1.3	30.9
Itawamba	22.4	9.0	8.2	<b>.8</b>	13.4	4.3	2.4	6.7
Jackson	23.0	16.8	14.9	1.9	6.2	4.2	1.5	<b>.5</b>
Jasper	53.1	41.7	41.7	..	11.4	1.8	4.6	5.0
Jefferson	27.7	12.1	12.1	..	15.6	4.1	3.8	7.7
Jefferson Davis	12.6	9.4	9.4	..	3.2	<b>.2</b>	1.6	1.4
Jones	43.4	27.2	27.2	..	16.2	5.5	4.5	6.2
Kemper	37.2	24.3	24.3	..	12.9	5.0	7.9	..
Lafayette	18.0	8.8	8.8	..	9.2	4.8	3.0	1.4
Lamar	26.5	20.7	20.7	..	5.8	1.4	1.3	3.1
Lauderdale	48.0	36.9	36.9	..	11.1	4.8	5.8	<b>.5</b>
Lawrence	23.6	15.8	15.8	..	7.8	6.4	..	1.4
Leake	27.3	21.4	21.4	..	5.9	3.9	2.0	..
Lee	2.1	<b>.7</b>	<b>.7</b>	..	1.4	1.4	..	..
Leflore	12.4	<b>.4</b>	<b>.1</b>	<b>.3</b>	12.0	1.5	5.6	4.9

Table 10.-Timber sawtimber on commercial forest land by species group and county, Mississippi, 1966 (Continued)

County	All species	Softwood			Hardwood			
		Total	Pine	Other	Total	Oak	Gum	Other
<i>Million board feet</i>								
Lincoln	30.4	22.6	22.6		7.8	3.1	1.6	3.1
Lowndes	16.1	5.8	2.4	3.4	10.3	6.7	2.2	1.4
Madison	10.6	7.8	6.4	1.4	2.8	1.3	1.0	.5
Marion	<b>29.4</b>	19.5	19.5	.	<b>9.9</b>	4.2	2.4	3.3
Marshall	10.5	2.5	.7	1.8	8.0	3.6	1.5	<b>2.9</b>
Monroe	22.6	8.3	8.3	.	14.3	10.3	2.1	1.9
Montgomery	11.7	2.7	2.7	.	<b>9.0</b>	4.3	2.5	2.2
Neshoba	17.9	13.7	13.7	.	4.2	2.4	1.1	.7
Newton	23.6	17.4	17.4	.	6.2	3.6	2.2	.4
Noxubee	21.4	17.3	17.3	.	4.1	2.3	.4	1.4
Oktibbeha	<b>9.3</b>	4.2	3.4	.8	5.1	<b>3.9</b>	.	1.2
Panola	12.7	.6	.	.6	12.1	4.1	3.8	4.2
Pearl River	35.3	20.6	20.6	.	14.7	1.6	5.8	7.3
Perry	32.8	28.5	28.5	.	4.3	1.4	2.0	.9
Pike	17.5	13.1	13.1	.	4.4	2.2	1.7	.5
Pontotoc	7.5	1.8	1.8	.	5.7	.7	.9	4.1
Prentiss	8.7	3.8	3.8	.	<b>4.9</b>	2.5	1.9	.5
Quitman	<b>28.9</b>	.2	.	.2	28.7	<b>9.8</b>	11.7	7.2
Rankin	31.7	23.7	21.6	2.1	8.0	4.3	2.3	1.4
Scott	48.0	42.7	42.7	.	5.3	2.7	.	2.6
Sharkey	14.6	.4	.	.4	14.2	8.3	4.7	1.2
Simpson	36.4	25.6	25.6	.	10.8	5.2	3.9	1.7
Smith	44.3	37.7	37.7	.	6.6	3.3	3.3	.
Stone	<b>35.9</b>	31.2	31.2	.	4.7	<b>2.9</b>	1.1	.7
Sunflower	<b>3.9</b>	.4	.1	.3	3.5	.	.	3.5
Tallahatchie	23.6	.4	.1	.3	23.2	10.5	6.6	6.1
Tate	2.7	.2	.1	.1	2.5	.2	<b>1.2</b>	1.1
Tippah	11.2	5.7	5.7	.	5.5	4.5	1.0	.
Tishomingo	12.0	6.7	6.7	.	5.3	4.8	...	.5
Tunica	15.9	.5	.	.5	15.4	4.3	4.9	6.2
Union	5.5	1.4	1.4	.	4.1	1.9	<b>.4</b>	1.8
Walthall	12.4	<b>7.9</b>	<b>7.9</b>	.	4.5	2.0	2.5	.
Warren	36.4	1.0	.5	.5	35.4	11.2	9.2	15.0
Washington	20.7	.4	.	.4	20.3	5.6	7.3	7.4
Wayne	46.5	35.2	35.2	.	11.3	4.2	3.8	3.3
Webster	10.6	8.3	8.3	.	2.3	1.8	.5	...
Wilkinson	45.3	16.2	15.0	1.2	29.1	12.3	4.9	11.9
Winston	23.7	14.7	14.7	.	9.0	3.3	3.7	2.0
Yalobusha	12.0	<b>2.9</b>	.	<b>2.9</b>	9.1	6.8	.7	1.6
Yazoo	76.8	.8	.	.8	76.0	30.5	17.1	28.4
All counties	<b>1,962.1</b>	<b>1,005.7</b>	980.4	25.3	956.4	403.2	247.8	305.4

Table II.-Average volume per acre **of** growing stock and sawtimber on commercial forest land by species **group**, ownership class and **Survey region**, Mississippi, 1967

Ownership class	Growing stock			Sawtimber		
	All species	Softwood	Hardwood	All species	Softwood	Hardwood
----- Cubic feet -----						----- Board feet -----
STATE OF MISSISSIPPI						
National forest	1,171	875	296	4,973	4,157	816
Other public	1,021	522	499	3,609	2,051	1,558
Forest industry	865	500	365	3,216	2,155	1,061
Farmer	670	289	381	1,904	1,005	899
Misc. private	739	342	397	2,254	1,219	1,035
All ownerships	772	388	384	2,500	1,506	994
NORTH						
National forest	900	536	364	3,118	2,243	875
Other public	874	288	586	2,889	1,094	1,795
Forest industry	689	287	402	1,825	863	962
Farmer	523	153	370	1,134	391	743
Misc. private	622	215	407	1,506	595	911
All ownerships	604	209	395	1,484	614	870
CENTRAL						
National forest	1,569	1,249	320	6,548	5,931	617
Other public	1,380	901	479	4,498	3,395	1,103
Forest industry	1,027	636	391	3,773	2,820	953
Farmer	771	387	384	2,106	1,236	870
Misc. private	829	449	380	2,373	1,505	868
All ownerships	896	512	384	2,778	1,900	878
SOUTHWEST						
National forest	1,877	1,474	403	9,122	8,076	1,046
Other public	912	402	510	2,989	1,280	1,709
Forest industry	1,118	772	346	5,119	4,054	1,065
Farmer	755	385	370	2,465	1,497	968
Misc. private	795	372	423	2,686	1,481	1,205
All ownerships	898	505	393	3,359	2,263	1,096
SOUTH						
National forest	879	721	158	3,517	3,124	393
Other public	794	694	100	3,367	3,017	350
Forest industry	719	506	213	2,556	2,017	539
Farmer	718	441	277	2,495	1,766	729
Misc. private	686	420	266	2,365	1,640	725
All ownerships	726	487	239	2,603	1,968	635
DELTA						
National forest	856	7	849	4,289	59	4,230
Other public	1,292	23	1,269	4,735	145	4,590
Forest industry	983	8	975	4,066	33	4,033
Farmer	657	73	584	1,840	273	1,567
Misc. private	885	34	851	2,892	130	2,762
All ownerships	815	46	769	2,726	179	2,547

Hedlund, Arnold, and Earles, J. M.

1969. Forest statistics for Mississippi counties.  
Southern Forest Exp. Sta., New Orleans,  
Louisiana. 24 pp. (U. S. Dep. Agr. Forest  
Serv. Resource Bull. SO-15)

**Commercial forest-land areas, timber inventory, growth,  
and cut, as of 1967.**